

Key Word Index

- Abrasion Resistance, 1149
 Acids, 1681, 1731
 Activators, 51
 Activity, 989
 Admixtures, 83, 805, 1357
 Adsorption, 193
 Aerated Concrete, 589
 AFm, 1167
 Ageing, 1701
 Aggregate, 345
 Aggregate Type Concrete, 165
 Agitation, 721
 Air Entrainer, 193
 Airport Pavement, 321
 Air Suppression, 235
 Air Voids, 171
 Alite, 1123
 Alkali Activation, 359, 1825
 Alkali-Aggregate Reaction, 1901
 Alkali-Carbonate Reaction, 321, 329
 Alkali-Silica Reaction, 1379, 1407
 Alteration, 619
 Aluminate, 1393
 Aluminate Cements, 501, 1343
²⁷Al MNR, 501
 Ancient Mortars, 227
 Al-27 NMR, 303
 Apatite, 407
 ASR, 1553
 ASR Cracking, 107
 Atmosphere Simulation, 777
 Atomic Force Microscope, 1451
 Autoclaving, 75, 589, 1073
 Autogenous Shrinkage, 245, 1489

 BaAl₂O₄, 979
 Belite, 51
 Bending, 115, 1031
 Bentonite, 395
 Binders, 1141, 1179
 Bleeding, 721
 Blended Cements, 487, 995, 1501
 Bond, 1811
 Bonding, 1099
 Bond Performance, 1085
 Bond Strength, 643, 679, 1805, 1829
 Brick, 1829
 By-Products, 1641

 C₃A, 369, 917
 CaAl₂O₄, 979
 Cadmium, 337
 Calcined Brick Clay, 697
 Calcining, 1513
 Calcium Aluminate Hydrates, 1307
 Calcium Aluminate Sulfate, 7
 Calcium Silicate Hydrates, 83, 1791
 Calcium Sulfate, 369
 Calcium Sulfoaluminate, 303
 11CaO·7Al₂O₃·CaF₂, 1439
 Ca(OH)₂, 539, 1237, 1379
 Capillary Absorption, 1659
 Capillary Depression, 245
 Capillary Transport, 747
 Carbon, 193
 Carbonation, 589, 995, 1073
 Carbon Fiber Reinforcement, 845
 Carbon Fibers, 437, 649, 1149, 1313, 1799, 1829
 Ca₃SiO₅, 1203
 Cathodic Protection, 649
 Cd, 479
 Cement, 185, 259, 983, 1249, 1393, 1453, 1919
 Cement Additives, 1713
 Cement-Blends, 825
 Cement Compounds, 551
 Cement Hydrates, 1691
 Cement-Kaolinite, 1919
 Cement Particles, 37
 Cement Paste, 1191, 1591
 Cement-Quartz Pastes, 1073
 Cement Stabilization, 337, 479
 Cement Strength, 883
 Cemented Wastes, 1523
 Characterization, 479, 1561
 Chemically Bonded Ceramics, 407
 Chemicals, 947
 Chemistry, 1543
 Chloride, 515, 1213
 Chloride Binding, 1633, 1841
 Chloride Diffusion, 937
 Chloride Diffusion Cells, 853
 Chloride Penetration, 1591
 Chromium, 215
 Clinker Raw Mix, 1641
 Clinkers, 63, 1613, 1861
 CO₂, 215
 Composites, 925, 1135, 1393
 Compressive Strength, 487
 Concentration, 205, 235
 Concrete, 1, 1561
 Concrete Cavities, 1747
 Conductivity, 63
 Consolidation, 657
 Copper Slag, 1569
 Corrosion, 1681, 1731, 1811
 Corrosion Resistance, 679, 861
 Cracking, 495, 811
 Cracks, 381
 Creep, 1429
 Crushed Limestone Sand
 Concrete, 1719
 Crystal Growth, 811
 Crystal Size, 917
 Crystallography, 369
 C₂S, 369
 C₃S, 917
 β-C₂S, 989
 C-S-H Gel, 1649
 C-S-H Growth, 665
 C-S-H(I), 1581
 C₃S Hydration, 665
 Curing Age, 1313
 Curing Temperature, 1009, 1343
 Cycling, 1319

 Degradation, 777
 Delayed Deformation, 1429
 Delayed Ettringite, 1761
 Dense Matrix, 925
 Diffusion, 979, 995, 1633
 Diffusivity, 293
 Digital Image Mapping, 1603
 Displacement, 495

- Drying, 1191, 1319
Drying Shrinkage, 1603
Durability, 427, 711, 721, 971, 983, 1047, 1543, 1911
Dynamic Loading, 453
- Early Hydration, 1419
Early Stage, 577
Edges, 665
Elastic Moduli, 1021
Electrical Resistance, 1313
Electric-Arc Furnace Dust, 267
Electrode, 1747
Ethanolamines, 805
Ettringite, 1061, 1085
Expansion, 495, 811, 1061, 1299
Expansivity, 1627
- Fatigue Strength, 115
Fe, 1167
Ferrite Hydrates, 1167
Fiber, 395
Fineness, 185
Flexural Dynamic Modulus, 833
Flint, 235
Flow, 733, 1141
Flux Evaporation, 1439
Fluxural Strength, 165
Fly Ash, 193, 395, 577, 657, 825, 907, 1009, 1093, 1237, 1365, 1861, 1875, 1885
Fly Ash Aggregate, 525
Formwork, 1047
Fractal, 1691
Fracture Energy, 1031
Fractures, 1333
Fracture Surface, 785
Freeze-Thaw, 1319
Freezing, 427, 1761
Fuzzy Logic, 883
- Gel Pores, 747
Geometrical Changes, 1465
Glass Fiber Reinforcement, 1885
Grain Size, 1213
GRC, 1701
Grindability, 673
Grinding, 1861
- Grouts, 395, 1875
Gypsum, 259, 1237
- Hardening, 1489
HCl, 1911
Heat of Hydration, 733, 1851
Heating, 833, 1761
Heating Rate, 1123
High Content, 1885
High Performance, 817
High Performance Concrete, 1093, 1141, 1357
High Strength, 1481
High Strength Concrete, 833, 1281
High Sulphate, 1523
High Temperature, 1299
Humidity, 937, 1489
Hydration, 147, 359, 369, 501, 577, 817, 1009, 1249, 1393, 1569
Hydration Kinetics, 303
Hydraulic, 1825
Hydrogarnet, 1167, 1787
Hydrothermal, 83, 1237, 1791
Hydrothermal Cement 317, 315
- Identification, 1407
Immobilization, 215
Impact Resistance, 1893
Impedance Measurements, 1191
Improvement, 1805
Incinerator Bottom Ash, 1
Indentation, 1701
Inhomogeneity, 1113
In Situ, 501
Interface, 971
Interfacial Transition Zone, 1113
Interfacial Zone, 437
Internal Sulfate Attack, 1299
Ions, 293
- Kinetics, 359, 1379
- Latex, 711, 1149, 1799, 1875
Latex Modified Concrete, 861
Leaching, 515, 539, 971, 1747
Li Compounds, 235
- Lightweight Aggregate, 1021
Lightweight Concrete, 525
Ligninsulfonates, 185
Lime, 259
Lime Mortars, 777
Liquid Metal Porosimetry, 1333
Low C₃A, 1061
Low Modulus Fibers, 1099
Low Porosity, 1481
Low-Temperature Ceramics, 1667
Low-Temperature Synthesis, 51
- Magnesium, 315
Magnesium Sulfate, 205
MDF Processing, 127
Mechanical Properties, 453, 539, 1817
Mechanical Treatment, 1365
Mechanism, 665
Membrane Potential, 853
Mercury Intrusion Porosimetry, 93
Metakaolin, 137, 147
Meta-Kaolin, 1307
Metal Hydroxides, 1249
Metallic Particles, 1641
Mg Phosphate Cement, 1155
Mg Silicate, 315
MgSO₄, 1911
Microstructure, 329, 619, 711, 869, 1465, 1501, 1701
Microwave, 1419
Microwave Curing, 427, 463
Mineral Admixtures, 1901
Minor Components, 1123
Mn, 1203
Modeling, 761, 1543
Models, 245, 883, 1113
Modulus, 1135
Moisture, 1429
Molecular Dynamics, 1581
Molecular Weight, 185
Monoliths, 657
MoO₃, 917
Mortar Matrix, 437
Mortars, 259, 697, 845, 1149, 1225, 1681, 1731, 1829

- NaCl, 29
 NaOH Treatment, 1
 Na_2SO_4 , 1659
 Nernst-Einstein Equation, 293
 Neutron Diffraction, 551
 Nickel Parriculates, 23
 NMR, 407, 1319
 Novel System, 1533
 Nuclear Safety, 415
 Numerical Modeling, 1261

 Opal, 1379
 Opening Dimension, 381
 Optimization, 463
 Organic Admixtures, 1451
 Oxidation, 1627
 Oxidation State, 215
 Ozone, 643

 P, 1203
 ^{31}P , 407
 Packing Density, 685, 1481
 Parameters, 93
 Particle Size, 619, 907
 Particle Size Distribution, 685
 Paste Rheology, 907
 Pastes, 23, 37, 137, 147, 1681, 1731
 Permeability, 293, 381, 761, 1179, 1225, 1633
 Petrography, 227, 321, 329
 pH, 947, 1271, 1747
 Phenol Resin, 1393
 Physical Properties, 1817, 1861
 Physico-Chemical Studies, 227
 Physics, 1543
 Pigment, 1513
 Plaster, 947
 Polymer, 643, 1099
 Polymer-Modified Mortars, 171, 1787
 Pore Fluid, 337
 Pore Size, 619
 Pore Solution, 29, 147, 1841
 Pore Structure, 995, 1225
 Porosity, 539
 Portland-Alumina Cement, 1419
 Portland Cement, 1343
 Portlandite, 137
 Power, 463
 Pozzolan, 1307, 1365, 1513

 Pozzolan Effect, 1911
 Pozzolana, 279, 889
 Prediction, 487, 883
 Premeability Control, 1047
 Pressure, 811
 Pre-Wetting, 171
 Production, 1037
 Prolonging, 721
 Properties, 1501
 Proton, 1319
 Pullout, 925

 Quantum Chemistry, 1085

 Radioactive Waste, 1919
 Railroad Ties, 107
 Rapid Sintering, 989
 Reactance, 845
 Reactivity, 63
 Red Mud, 1037, 1513
 Reduced Shrinkage, 1357
 Reduction, 1851
 Reinforcement, 643, 649, 1271, 1811
 Repair, 1261
 Repair Material Polymers, 601
 Resistivity, 1811
 Retardation, 267, 947, 1155
 Reversibility, 833
 Rheology, 1155, 1875
 Rheometry, 869
 Rubber, 1135
 Rubberized Concrete, 1893

 Sand Blasting, 679
 Scrap, 1135
 Sealers, 1561
 Self-Desiccation, 1553
 Sem, 1333
 Semi-Lightweight Concrete, 15
 Service Life, 747
 Shale Ash, 279
 Shape, 1281
 Shear, 437
 Shear Field, 869
 Shrinkage, 601, 1429, 1659
 ^{29}Si , 407
 Silica, 1787
 Silica Fume, 75, 395, 577, 825, 833, 1659, 1667, 1799, 1825, 1851

 Silicates, 1561
 Simulation, 1591
 Single Crystals, 1439
 Sintering, 979
 Size Effect, 1031, 1281
 Slag, 359, 825, 833, 1791, 1825, 1841, 1851, 1875
 Slag Blending, 937
 Slage Cement, 75
 Sodium Silicate, 657
 Solidification/Stabilization, 1533
 Solid Solution, 1203, 1649
 Sorption, 747
 Space-Filling, 1691
 Sphere, 495
 Splitting, 381
 Staining, 1407
 Steel Fibers, 925
 Steel Slags, 983, 1713
 Steric Repulsion, 37
 Steric Repulsive Force, 1453
 Stiffness, 115
 Strains, 1603, 1261
 Strength, 75, 137, 279, 463, 525, 733, 817, 983, 1009, 1271, 1365
 Strength Decrease, 345
 Strengthening, 23
 Stress Relaxation, 1553
 Stresses, 495, 1261
 Structure, 1581
 Styrene-Butadiene, 711
 Sulfate, 29, 515, 1061, 1093
 Sulfate attack, 1627
 Sulfate Resistance, 205
 Sulfides, 1627
 Sulfobeltic Clinkers, 127
 Sulfoferrite, 1037
 Sulphate Attack, 1179
 Sulphate Resistance, 697
 Sulphates, 1271, 1841
 Superplasticizer, 279
 Surface Area, 1713
 Surface Properties, 805
 Synthesis, 7

 Temperature, 515
 Testing, 1141
 Texture, 1123
 Thaumassite, 259
 Thawing, 427, 1761

- Theory, 1021
Thermodynamic Model, 1649
Thermophysical Properties,
 415
Tortuosity, 785
Toughness, 785
Transformation, 1523
Transition Metals, 673
Transition Zone, 817, 971
Transport Properties, 761
Tuffs, 889
U Phase, 7
Urea, 733
Variability, 453
Volcanic Slags, 15
Wastes, 337, 479, 515, 1249,
 1817
Water Cement, 1805
Water Content, 345
Water Demand, 889
Xonotlite, 315
X-Ray Diffraction, 673
X-Ray Fluorescence, 1213
XRD, 1569
Zeolites, 889