

Contents of Volume 33

Number 1

- 1 Production of macroporous ceramics from fibres dispersed mortars (FDM)
S. MASCHIO, A. BACHIORRINI, E. LUCCHINI, D. MINICHELLI & S. BRÜCKNER (Italy)
- 9 A cross-property relation between the tensile modulus and the thermal conductivity of porous materials
W. PABST & E. GREGOROVÁ (Czech Republic)
- 13 Impedance spectroscopy studies on Fe^{3+} ion modified PLZT ceramics
S. DUTTA, R.N.P. CHOUDHARY & P.K. SINHA (India)
- 21 Elastic properties of gallium substituted Bi (Pb)-2212 superconducting system at 300 K
M.B. SOLUNKE, P.U. SHARMA, V.K. LAKHANI, M.P. PANDYA, K.B. MODI, P.V. REDDY & S.S. SHAH (India)
- 27 Sintered glass-ceramics from mixtures of wastes
E. BERNARDO, R. CASTELLAN & S. HREGLICH (Italy)
- 35 Re-investigation of synthesis of BaTiO_3 by conventional solid-state reaction and oxalate coprecipitation route for piezoelectric applications
L. SIMON-SEVEYRAT, A. HAJJAJI, Y. EMZIANE, B. GUIFFARD & D. GUYOMAR (France)
- 41 Structural, dielectric and electrical studies in tungsten doped $\text{SrBi}_2\text{Ta}_2\text{O}_9$ ferroelectric ceramics
I. COONDOO, A.K. JHA & S.K. AGARWAL (India)
- 49 Enhancement of the physical properties of rare-earth-substituted Mn–Zn ferrites prepared by flash method
M.A. AHMED, N. OKASHA & M.M. EL-SAYED (Egypt)
- 59 Mullitization kinetics from silica- and alumina-rich wastes
S.C. VIEIRA, A.S. RAMOS & M.T. VIEIRA (Portugal)
- 67 Synthesizing $\text{Al}_2\text{O}_3/\text{SiC}$ in a microwave oven: A study of process parameters
T.P. DEKSNYS, R.R. MENEZES, E. FAGURY-NETO & R.H.G.A. KIMINAMI (Brazil)
- 73 Effects of pyrolysis temperatures on the microstructure and mechanical properties of $2\text{D-C}_i/\text{SiC}$ composites using polycarbosilane
K. JIAN, Z.-H. CHEN, Q.-S. MA, H.-F. HU & W.-W. ZHENG (People's Republic of China)
- 77 Preparation of macroporous alumina ceramics using wheat particles as gelling and pore forming agent
K. PRABHAKARAN, A. MELKERI, N.M. GOKHALE & S.C. SHARMA (India)
- 83 Preparation and characterization of forsterite (Mg_2SiO_4) bioceramics
S. NI (China), L. CHOU (USA) & J. CHANG (China)
- 89 Modified glycine nitrate procedure (MGNP) for the synthesis of SOFC nanopowders
S.B. BOŠKOVIĆ, B.Z. MATOVIC (Serbia and Montenegro), M.D. VLAJIĆ & V.D. KRISTIĆ (Canada)

- 95 Piezoelectric and dielectric properties of CeO_2 -doped $\text{Bi}_{0.5}\text{Na}_{0.44}\text{K}_{0.06}\text{TiO}_3$ lead-free ceramics
Y. LI, W. CHEN, Q. XU, J. ZHOU, Y. WANG & H. SUN (PR China)
- 101 Fabrication of short C fiber-reinforced SiC composites by spark plasma sintering
Y. DING, S. DONG, Z. HUANG & D. JIANG (PR China)
- 107 Influence of texture on electrical properties of ZnO ceramics prepared by extrusion and spark plasma sintering
J.L. NING, D.M. JIANG (China), K.H. KIM & K.B. SHIM (Korea)

Short communications

- 115 Preparation and characterization of SiC/cordierite composite porous ceramics
S. ZHU, S. DING, H. XI, Q. LI & R. WANG (PR China)
- 119 Hydroxyapatite layers prepared by sol–gel assisted electrostatic spray deposition
B.-H. KIM, J.-H. JEONG, Y.-S. JEON, K.-O. JEON & K.-S. HWANG (South Korea)

I Keywords for *Ceramics International*

Number 2

- 123 Synthesis of low expansion ceramics in lithia–alumina–silica system with zirconia additive using the powder precursor in the form of hydroxyhydrogel
S. MANDAL, S. CHAKRABARTI, S.K. DAS & S. GHATAK (India)
- 133 Gel-casting without de-airing process using silica sol as a binder
D. KONG, H. YANG, S. WEI, D. LI & J. WANG (PR China)
- 141 Effects of heat treatment on the microstructure and flexural properties of CVI–Tyranno-SA/SiC composite
W. YANG (China, Japan), H. ARAKI, A. KOHYAMA (Japan), Q. YANG (China) & T. NODA (Japan)
- 147 Nitrogen incorporation into pure and doped zirconia
S. GUTZOV (Bulgaria) & M. LERCH (Germany)
- 151 Degradation phenomena due to humidity in low voltage ZnO varistors
M.-H. WANG, K.-A. HU, B.-Y. ZHAO & N.-F. ZHANG (PR China)
- 155 Synthesis and characterization of WC–Co nanocomposites by novel chemical method
M.F. ZAWRAH (Egypt)
- 163 Magnetic characteristics of iron-containing glass originated from the mixture of various wastes
A.A. FRANCIS (Egypt)
- 169 Synthesis and microstructure of Ti_3AlC_2 by mechanically activated sintering of elemental powders
S.-B. LI, H.-X. ZHAI, G.-P. BEI, Y. ZHOU & Z.-L. ZHANG (China)
- 175 Influence of gel-derived nanocrystalline spinel in a high alumina castable: Part 2
S. MUKHOPADHYAY, P. PAL, B. NAG & P. JANA (India)
- 187 Dependence of the nonlinear electrical behavior of SnO_2 -based varistors on Cr_2O_3 addition
F.M. FILHO, A.Z. SIMÕES, A. RIES, L. PERAZOLLI, E. LONGO & J.A. VARELA (Brazil)
- 193 Synthesis and sintering of nanocrystalline hydroxyapatite powders by gelatin-based precipitation method
C. SHU, Y. XIANZHU, X. ZHANGYIN, X. GUOHUA, L. HONG & Y. KANGDE (PR China)
- 197 A two-layer dielectric absorber covering a wide frequency range
F. LUO, D.-M. ZHU & W.-C. ZHOU (China)

- 201 Increasing the sinterability of tape cast oxalate-derived doped ceria powder by ball milling
H. LI, C. XIA, M. ZHU, Z. ZHOU, X. WEI & G. MENG (PR China)
- 207 Dispersion of barium titanate in aqueous media
J. ZHAO, X. WANG, R. CHEN & L. LI (PR China)
- 213 Wear behavior and self tribofilm formation of hot-pressed $\text{Al}_2\text{O}_3/\text{TiC}/\text{CaF}_2$ ceramic composites sliding against cemented carbide
J. DENG, T. CAO, X. YANG, J. LIU, J. SUN & J. ZHAO (PR China)
- 221 Microstructure of hot-pressed h-BN/ Si_3N_4 ceramic composites with Y_2O_3 – Al_2O_3 sintering additive
D. WEI, Q. MENG & D. JIA (PR China)
- 227 Crystallization in the Na_2O – CaO – Al_2O_3 – SiO_2 –(LiF) glass compositions
E.M.A. HAMZAWY & E.M. EL-MELIEGY (Egypt)
- 233 Role of TiO_2 and ZrO_2 on crystallizing phases and microstructure in Li, Ba aluminosilicate glass
G.A. KHATER & M.H. IDRIS (Saudi Arabia)
- 239 The role of TiO_2 in the densification of low cement Al_2O_3 – MgO spinel castable
S. MAITRA, S. DAS & A. SEN (India)
- 245 Effects of additives on the sintering temperature and dielectric properties of ZnTiO_3 based ceramic
A. CHAOUCHI, M. ALIOUAT (Algeria), S. MARINEL, S. D'ASTORG (France) & H. BOURAHLA (Algeria)
- 249 Synthesis and characterization of $\text{Ba}_{6-3x}\text{Sm}_{8+2x}\text{Ti}_{18}\text{O}_{54}$ microwave dielectric ceramics
D. KAUR, S.B. NARANG & K. SINGH (India)
- 255 Influence of ZrO_2 on the thermo-mechanical response of nano-ZTA
D. SARKAR, S. ADAK (India), M.C. CHU, S.J. CHO (Republic of Korea) & N.K. MITRA (India)
- 263 Influence of the sintering temperature on phase development in PMnN – PZT ceramics
C.-Y. CHEN, Y. HU, H.-L. LIN & W.-Y. WEI (Taiwan)
- 269 Effect of zirconia addition on dielectric loss and microstructure of aluminum nitride ceramics
S. KUME, M. YASUOKA, N. OMURA & K. WATARI (Japan)
- 273 Preparation and characterization of indium-doped tin oxide thin films
P.K. MANOJ, B. JOSEPH, V.K. VAIDYAN & D.S.D. AMMA (India)
- 279 Damage assessment of oxide fibre reinforced oxide ceramic matrix composites using acoustic emission
F. KAYA (Turkey)

Short communications

- 285 Short reaction time preparation of zinc pyrovanadate at normal pressure
K. MELGHIT, A.K. AL-BELUSHI & I. AL-AMRI (Oman)
- 289 The influence of surfactant on ZnO varistors
S.R. DHAGE, S.C. NAVALE & V. RAVI (India)
- 293 Effect of composition on the electromechanical properties of $\text{Pb}[\text{Zr}_x\text{Ti}_{(0.9-x)}(\text{Cr}_{1/5}, \text{Zn}_{1/5}, \text{Sb}_{3/5})_{0.1}]\text{O}_3$ ceramics
N. ABDESSALEM & A. BOUTARFAIA (Algeria)
- 297 A co-precipitation technique to prepare BaTa_2O_6
S.C. NAVALE, V. SAMUEL, A.B. GAIKWAD & V. RAVI (India)

- 301 Varistors based on Ta-doped TiO_2
S.C. NAVALE, A. VADIVEL MURUGAN & V. RAVI (India)
- 305 Morphologies of Al_2O_3 shell prepared from $\text{Al}/\text{AlOOH} \cdot n\text{H}_2\text{O}$ core-shell particles
H. KOU, Y. PAN & J. GUO (PR China)
- 309 Effect of particle size on oxidation of silicon carbide powders
J. QUANLI, Z. HAIJUN, L. SUPING & J. XIAOLIN (PR China)

I Keywords for *Ceramics International*

Number 3

- 315 Evaluation of fracture resistance of ceramics: Edge fracture tests
G. GOGOTSI, S. MUDRIK & V. GALENKO (Ukraine)
- 321 Synthesizing sulphides by a temperature gradient method
T. LIU, J. YU & M. CHEN (PR China)
- 327 Mullite compacts obtained by colloidal filtration of alumina powders dispersed in colloidal silica suspensions
O. BURGOS-MONTES, M^{al}. NIETO & R. MORENO (Spain)
- 333 Thick alumina dielectric films on aluminum through chemically bonded composite sol–gel
H. KIM & T. TROCZYNSKI (Canada)
- 337 Elaboration and characterisation of apatite based mineral supports for microfiltration and ultrafiltration membranes
S. MASMOUDI (Tunisie, France), A. LARBOT (France), H. EL FEKI & R.B. AMAR (Tunisie)
- 345 Crystalline phase characterization of glass-ceramic glazes
M.G. RASTEIRO, T. GASSMAN, R. SANTOS & E. ANTUNES (Portugal)
- 355 Improving the microstructure of Si_3N_4 –TiN composites using various PEIs to disperse raw TiO_2 powder
S. ZHENG, L. GAO (PR China), H. WATANABE, J. TATAMI, T. WAKIHARA, K. KOMEYA & T. MEGURO (Japan)
- 361 Alumina precursors produced by gel combustion
J. LI, Y. WU, Y. PAN & J. GUO (PR China)
- 365 Combustion synthesis of vanadium carbonitride from V-C powder compacts under nitrogen pressure
C.L. YEY & Y.D. CHEN (Taiwan)
- 373 Isothermal and cycle properties of EB-PVD yttria-partially-stabilized zirconia thermal barrier coatings at 1150 and 1300 °C
S. GUO & Y. KAGAWA (Japan)
- 379 Combustion synthesis and compaction of Si_3N_4 –TiN composite powder
K.V. MANUKYAN, S.L. KHARATYAN (Armenia), G. BLUGAN & J. KUEBLER (Switzerland)
- 385 Improvement of mechanical properties of $\text{Al}_2\text{O}_3/\text{Ti}_3\text{SiC}_2$ multilayer ceramics by adding SiC whiskers into Al_2O_3 layers
ZAN QINGFENG, DONG LIMIN, WANG CHEN, WANG CHANG-AN & HUANG YONG (PR China)
- 389 Fabrication of lead zirconate titanate ceramic fibers by gelation of sodium alginate
S. ALKOY, H. YANIK & B. YAPAR (Turkey)
- 395 Processing and piezoelectric properties of porous PZT ceramics
T. ZENG, X. DONG, S. CHEN & H. YANG (PR China)

- 401 Properties of Al_2O_3 ceramics consolidated with sulfanilic acid
J. ZHANG (Japan), F. YE (PR China), D. JIANG (China) & M. IWASA (Japan)
- 405 Monitoring of transformations in bentonite after NaOH-TMA treatment
M. VLASOVA, I. LEON, Y.E. MÉNDEZ, G. DOMINGUEZ-PATIÑO, M. KAKAZEY, M. DOMINGUEZ-PATIÑO (Mexico), M.V. NIKOLIC & M.M. RISTIC (Serbia and Montenegro)
- 413 Rare-earth substitution effect on the quality of Mg–Ti ferrite
M.M. EL SAYED (Egypt)
- 419 Development of high strength hydroxyapatite by solid-state-sintering process
S. PRAMANIK, A.K. AGARWAL, K.N. RAI & A. GARG (India)
- 427 Joining of silicon nitride with a Cu76.5Pd8.5Ti15 filler alloy
C.F. LIU, J. ZHANG, Q.C. MENG, Y. ZHOU (PR China) & M. NAKA (Japan)
- 433 Modification of a $\text{SiC-Cr}_5\text{Si}_3$ ceramic surface by laser irradiation
M. VLASOVA, P.A.M. AGUILAR, M. KAKAZEY, M.C. RESÉNDIZ-GONZÁLEZ (Mexico), A. BYKOV, A. RAGULYA & T. TOMILA (Ukraine)
- 439 Preparation and friction behavior of carbon fiber reinforced silicon carbide matrix composites
Y. XU, Y. ZHANG, L. CHENG, L. ZHANG, J. LOU & J. ZHANG (China)
- 447 Electrical properties of $(1 - x)(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3\text{-xBaTiO}_3$ synthesized by emulsion method
B.-H. KIM, S.-J. HAN, J.-H. KIM, J.-H. LEE, B.-K. AHN (Republic of Korea) & Q. XU (China)
- 453 Mechanical properties of Al_4SiC_4 bulk ceramics produced by solid state reaction
X.-X. HUANG & G.-W. WEN (China)
- 459 Synthesis of nanocrystalline $\text{Ni}_1\text{Co}_{0.2}\text{Mn}_{1.8}\text{O}_4$ powders for NTC thermistor by a gel auto-combustion process
W. WANG, X. LIU, F. GAO & C. TIAN (PR China)
- 463 Effect of ZrO_2 nucleant on crystallisation behaviour, microstructure and magnetic properties of $\text{BaO-Fe}_2\text{O}_3\text{-B}_2\text{O}_3\text{-SiO}_2$ glass ceramics
M. MIRKAZEMI, V.K. MARGHUSSIAN, A. BEITOLLAHI (Iran), S.X. DOU, D. WEXLER & K. KONSTANTINOV (Australia)
- 471 Rapid densification by using Bi_2O_3 as an aid for sintering of gadolinia-doped ceria ceramics
V. GIL, J. TARTAJ, C. MOURE & P. DURAN (Spain)
- 477 Forming nanometer TiO_2 sheets by nonaqueous tape casting
K.H. ZUO, D.L. JIANG, J.X. ZHANG & Q.L. LIN (PR China)
- 483 Preparation and properties of hydroxyapatite filters for microbial filtration
L. YANG, X. NING, K. CHEN & H. ZHOU (China)
- 491 Silicon carbide fiber-shaped microtools by extrusion and sintering SiC with and without carbon powder sintering additive
F.J. CLEMENS, V. WALLQUIST, W. BUCHSER, M. WEGMANN & T. GRAULE (Switzerland)
- 497 Fabrication and properties of the Nb doped Zr-rich lead zirconate titanate ceramics by a heterogenous precipitation method
H. YANG (PR China), A. LYASHCHENKO (Ukraine), X.-L. DONG, C.-H. LUO, C.-L. MAO, S.-T. CHEN, T. ZENG & Y.-L. WANG (PR China)

Short communication

- 505 Electrostatic spray deposited ZnO thin films
K.-S. HWANG, J.-H. JEONG, Y.-S. JEON, K.-O. JEON & B.-H. KIM (South Korea)

Corrigendum

- 509 Corrigendum to “Influence of cobalt phase on mechanical properties and thermal shock performance of Al_2O_3 –TiC composites” [Ceram. Int. 31 (2005) 945–951]
J. LI, Y.-S. YIN, R.-X. SHI & L.-P. MA (PR China)

I Keywords for *Ceramics International*

Number 4

- 511 Luminescence properties of Eu-doped SnO_2
S.-S. CHANG & M.S. JO (South Korea)
- 515 Microporous alumina substrate with porosity >70% by gelcasting
K. PRABHAKARAN, S. PRIYA, N.M. GOKHALE & S.C. SHARMA (India)
- 521 Monoferrite BaFe_2O_4 applied as ceramic pigment
R.A. CANDEIA, M.A.F. SOUZA, M.I.B. BERNARDI, S.C. MAESTRELLI, I.M.G. SANTOS, A.G. SOUZA & E. LONGO (Brazil)
- 527 The wettability of SiC ceramics by molten $\text{E}_2\text{O}_{3(\text{ss})}/\text{AlN}$ ($\text{E}_2\text{O}_{3(\text{ss})}$ = solid solution of rare earth oxides)
S. RIBEIRO, S.P. TAGUCHI, F.V. MOTTA & R.M. BALESTRA (Brazil)
- 531 Effect of barium to aluminium ratio on phases leading to barium aluminates
M. MOHAPATRA, D.M. PATTANAIK, S. ANAND & R.P. DAS (India)
- 537 Preparation of nanosized tin oxide (SnO_2) powder by homogeneous precipitation
Ö. ACARBAŞ, E. SUVACI & A. DOĞAN (Turkey)
- 543 Mechanical behaviour and thermal and electrical properties of foam glass
F. MÉAR, P. YOT, R. VIENNOIS & M. RIBES (France)
- 551 Effects of composition and temperature on porosity and pore size distribution of porous ceramics prepared from $\text{Al}(\text{OH})_3$ and kaolinite gangue
S. LI & N. LI (PR China)
- 557 Dissolution behavior and fluoride release from new glass composition used in glass ionomer cements
J. NOURMOHAMMADI, R. SALARIAN, M. SOLATI-HASHJIN & F. MOZTARZADEH (Iran)
- 563 Preparation of fluorescent glasses with variable compositions
D. ZHU, W. ZHOU (PR China), D.E. DAY & C.S. RAY (USA)
- 569 Preparation of nanocrystalline ferroelectric $\text{CaBi}_4\text{Ti}_4\text{O}_{15}$ by citrate gel method
A.V. MURUGAN, A.B. GAIKWAD, V. SAMUEL & V. RAVI (India)
- 573 Glass-ceramics prepared from sludge generated by a water purification plant
T. TOYA, A. NAKAMURA, Y. KAMESHIMA, A. NAKAJIMA & K. OKADA (Japan)
- 579 Effect of Ca-additions on structural and electrical properties of $\text{Pb}(\text{SnTi})\text{O}_3$ nano-ceramics
S. SEN, P. PRAMANIK & R.N.P. CHOUDHARY (India)
- 589 Mean dopant ion radius dependency of electrical resistivity in the $\text{Zn}_{1-x-y}\text{Ga}_x\text{In}_y\text{O}$ system
K. KAKINUMA, T. SHIHO, M. WATANABE & H. YAMAMURA (Japan)
- 595 Micro-Raman spectroscopic investigation of rare earth-modified lead zirconate titanate ceramics
S.R. SHANNIGRAHI & S. TRIPATHY (Singapore)
- 601 Low temperature neutron diffraction studies on $\text{Bi}_4\text{Ti}_3\text{O}_{12}$
K.R. CHAKRABORTY, S.N. ACHARY, S.J. PATWE, P.S.R. KRISHNA, A.B. SHINDE & A.K. TYAGI (India)

- 605 Electrochemical and structural characterisation of zirconia reinforced hydroxyapatite bioceramic sol–gel coatings on surgical grade 316L SS for biomedical applications
A. BALAMURUGAN, G. BALOSSIER (France), S. KANNAN (India), J. MICHEL, J. FAURE (France) & S. RAJESWARI (India)
- 615 Effect of waste glass (TV/PC cathodic tube and screen) on technological properties and sintering behaviour of porcelain stoneware tiles
M. RAIMONDO, C. ZANELLI, F. MATTEUCCI, G. GUARINI, M. DONDI (Italy) & J.A. LABRINCHA (Portugal)
- 625 Preparation and properties of Sb-doped SnO₂/metal substrates by sol–gel and dip coating
M. SEO, Y. AKUTSU & H. KAGEMOTO (Japan)
- 631 Preparation of YSZ film by gravity-electrophoretic deposition and its application in SOFC
J. LI, Z. LÜ, X. HUANG, Z. LIU, Z. ZHI, X. SHA, G. LI & W. SU (China)
- 637 Aqueous precipitation method for the formation of Mg-stabilized β -tricalcium phosphate: An X-ray diffraction study
S. KANNAN, J.M. VENTURA & J.M.F. FERREIRA (Portugal)
- 643 Nanosized-hybrid colloids of poly(acrylic acid)/titania prepared via in situ sol–gel reaction
H.-J. CHEN, P.-C. JIAN, J.-H. CHEN, L. WANG & W.-Y. CHIU (Taiwan)
- 655 Thermomechanical behavior of a zircon–mullite composite
M. HAMIDOUCHE, N. BOUAOUADJA (France), R. TORRECILLAS (Spain) & G. FANTOZZI (France)
- 663 Dielectric properties of sodium fluoride added kaolinite at different firing temperatures
H. ZIPKIN, L. ISRAEL, S. GÜLER & Ç. GÜLER (Turkey)
- 669 Processing and properties of unidirectional SiO₂/SiO₂ composites
C.-M. XU, S.W. WANG, X.X. HUANG & J.K. GUO (PR China)
- 675 Enhancement of direct nitridation of silicon by common metals in silicon nitride processing
V. PAVARAJARN, T. VONGTHAVORN & P. PRASERTHDAM (Thailand)
- 681 Organic modification of synthesized clay-magadiite
S.-F. WANG, M.-L. LIN, Y.-N. SHIEH, Y.-R. WANG & S.-J. WANG (Taiwan)
- 687 Preparation and in vitro bioactivity of CaSiO₃ powders
A.B.Y. HAZAR (Turkey)

Short communications

- 693 Low temperature synthesis of CaMoO₄ nanoparticles
Y. WANG, J. MA, J. TAO, X. ZHU, J. ZHOU, Z. ZHAO, L. XIE & H. TIAN (People's Republic of China)
- 697 Synthesis of Fe₂O₃ nanoparticles in different reaction media
S. CHAIANANSUTCHARIT, O. MEKASUWANDUMRONG & P. PRASERTHDAM (Thailand)
- 701 Preparation of hydroxyapatite coating by the use of a sacrificial Mg anode method
B. CHEN & C. LIANG (PR China)

I Keywords for *Ceramics International*

Number 5

- 705 Determination of the thermal stability and isothermal bulk modulus of the ZrO₂ polymorphs at room temperature by molecular dynamics with a semi-empirical quantum-chemical model
A.L. ORTIZ, J. SÁNCHEZ-GONZÁLEZ, L.M. GONZÁLEZ-MÉNDEZ & F.L. CUMBRERA (Spain)

- 711 The physical properties of transparent $\text{Y}_3\text{Al}_5\text{O}_{12}$: Elastic modulus at high temperature and thermal conductivity at low temperature
H. YAGI, T. YANAGITANI, T. NUMAZAWA & K. UEDA (Japan)
- 715 Effect of zirconia addition on the microstructural evolution of porous hydroxyapatite
C.-Y. CHIU, H.-C. HSU & W.-H. TUAN (Taiwan)
- 719 Reinforcement of mullite matrix with multi-walled carbon nanotubes
J. WANG, H. KOU, X. LIU, Y. PAN & J. GUO (PR China)
- 723 Optical properties of RF magnetron sputtered $\text{Ba}_{0.65}\text{Sr}_{0.35}\text{TiO}_3$ thin films
T.J. ZHANG, S.Z. LI, B.S. ZHANG, R.K. PAN, W.H. HUANG & J. JIANG (PR China)
- 727 Using waste glass as a partial flux substitution and pyroplastic deformation of a porcelain stoneware tile body
E. RAMBALDI (Italy), W.M. CARTY (USA), A. TUCCI & L. ESPOSITO (Italy)
- 735 Influence of citrate-to-nitrate ratio on the thermal behavior and chemical environment of alumina gel
J. LI, Y. WU, Y. PAN & J. GUO (PR China)
- 739 Boehmite modification of nano grade α -alumina and the rheological properties of the modified slurry
M.-S. TSAI, F.-H. YUNG & F.-H. YANG (Taiwan)
- 747 Al_2O_3 coating with a Ni-based buffer layer: Preparation, characterization and electrical insulating properties
L. WU, L. SONG, J. WU, L. ZHAO & C. JIANG (PR China)
- 751 Effect of zircon additions on low and ultra-low cement alumina and bauxite castables
M.F. ZAWRAH (Egypt)
- 761 Use of glass waste as a raw material in porcelain stoneware tile mixtures
A.P. LUZ & S. RIBEIRO (Brazil)
- 767 Sintering behavior of SiO_2 -CaO-MgO (Na_2O) glass-ceramics system
P. ALIZADEH, M. YOUSEFI, B. EFTEKHARI YEKTA, N. GHAFORIAN & F. MOLAIE (Iran)
- 773 Effect of B_2O_3 on crystallization behavior and microstructure of $\text{MgO-SiO}_2\text{-Al}_2\text{O}_3\text{-K}_2\text{O-F}$ glass-ceramics
A. FAEGHI-NIA, V.K. MARGHUSIAN & E. TAHERI-NASSAJ (Iran)
- 779 The effects of transition metals on carbothermal synthesis of β -SiC powder
Y.-J. LIN & C.-M. CHUANG (Taiwan)
- 785 Luminescence of nanosized ZnO/polyaniline films prepared by self-assembly
J. ZHANG, H. FENG, W. HAO & T. WANG (PR China)
- 789 R-curve behavior of Ti_3SiC_2
D. SARKAR, B. BASU (India), M.C. CHU & S.J. CHO (Korea)
- 795 Thermal behaviour of a zeolitic tuff
Ö.Ç. DUVARCI, Y. AKDENİZ, F. ÖZMIHÇI, S. ÜLKÜ, D. BALKÖSE & M. ÇİFTÇIOĞLU (Turkey)
- 803 A novel approach for magnesia hydration assessment in refractory castables
R. SALOMÃO, L.R.M. BITTENCOURT & V.C. PANDOLFELLI (Brazil)
- 811 Rising crack-growth-resistance behavior of Al_2O_3 based composites toughened with Fe_3Al intermetallic
J. LI, H.-Y. GONG, R.-X. SHI & Y.-S. YIN (China)
- 815 Dielectric tunability and imprint effect in $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3\text{-PbTiO}_3$ ceramics
X. WEN, C. FENG, L. CHEN & S. HUANG (PR China)
- 821 Effect of MgO and ZrO_2 additions on the properties of magnesite-chrome composite refractory
A. GHOSH, M.K. HALDAR & S.K. DAS (India)

- 827 Microstructure and properties of TiC–Fe cermet coatings by reactive flame spraying using asphalt as carbonaceous precursor
H.Y. LIU, J.H. HUANG, C.F. YIN, J.G. ZHANG & G.B. LIN (China)
- 837 Electrochemical properties of LiNiO_2 cathode material synthesized by the emulsion method
B.-H. KIM, J.-H. KIM, I.-H. KWON & M.-Y. SONG (Korea)
- 843 Structure and colour of cobalt ceramic pigments from phosphates
S. MESEGUER, M.A. TENA, C. GARGORI, J.A. BADENES, M. LLUSAR & G. MONRÓS (Spain)
- 851 Characterisation of porcelain compositions using two china clays from Cameroon
E. KAMSEU (Italy, Cameroon), C. LEONELLI, D.N. BOCCACCINI, P. VERONESI, P. MISELLI, G. PELLACANI (Italy) & U.C. MELO (Cameroon)
- 859 Recession behavior of a silicon nitride with multi-layered environmental barrier coating system
S. UENO, T. OHJI (Japan) & H.-T. LIN (USA)
- 863 Crystallization behaviour of Li_2O – ZnO – SiO_2 glass–ceramics system
M. GOSWAMI, P. SENGUPTA, K. SHARMA, R. KUMAR, V.K. SHRIKHANDE (India), J.M.F. FERREIRA (Portugal) & G.P. KOTHIYAL (India)
- 869 High-temperature deformation behaviour of TiO_2 -doped 8 mol.% Y_2O_3 -stabilized ZrO_2 (8Y-CSZ) under tension and compression
S. TEKELI (Turkey), T. CHEN (USA), H. NAGAYAMA, T. SAKUMA (Japan) & M. L. MECARTNEY (USA)
- 875 Ti-based nanocoatings on Al_2O_3 powders
M. VILLEGAS, T. SIERRA, A.C. CABALLERO & J.F. FERNANDEZ (Spain)

Short communications

- 879 Acoustic emission studies of low thermal expansion aluminum-titanate ceramics strengthened by compounding mullite
T. ONO, Y. SAWAI, M. IKIMI, S. OBATA, O. SAKURADA & M. HASHIBA (Japan)
- 883 Effects of excess ZnO addition on La-doped PZN–PZT ceramics prepared by hot pressing
X. ZENG, A. DING, X. ZHENG & T. LIU (PR China)
- 887 Oxidation resistant yttrium silicates coating for carbon/carbon composites prepared by a novel in-situ formation method
J.-F. HUANG, H.-J. LI, X.-R. ZENG, F. DENG, X.-B. XIONG & K.-Z. LI (PR China)
- 891 High strength three-dimensional silica fiber reinforced silicon nitride-based composites via polyhydrido-methylsilazane pyrolysis
G. QI, C. ZHANG & H. HU (PR China)

I Keywords for *Ceramics International*

Number 6

- 895 Phase relation and microwave dielectric properties of $x\text{CaTiO}_3$ – $(1 - x)\text{TiO}_2$ – 3ZnTiO_3 multiphase ceramics
F. ZHAO, Z. YUE, Y. LIN, Z. GUI & L. LI (PR China)
- 901 Growth mechanism of β -SiC nanowires in SiC reticulated porous ceramics
X. YAO, S. TAN, Z. HUANG, S. DONG & D. JIANG (PR China)
- 905 Effects of polycarbosilane infiltration processes on the microstructure and mechanical properties of 3D- C_f /SiC composites
K. JIAN, Z.-H. CHEN, Q.-S. MA, H.-F. HU & W.-W. ZHENG (People's Republic of China)
- 911 Low-temperature fabrication of steatite ceramics with boron oxide addition
H.Ş. SOYKAN (Turkey)

- 915 Low temperature synthesis of nano-sized ($\text{Sn}_{0.25}\text{Ti}_{0.75}$) O_2 photocatalysts by a molten salt method
H. TIAN, J. MA, L. XIE, Z. ZHAO, J. ZHOU, Y. WANG, J. TAO & X. ZHU (PR China)
- 919 Influence of fluorides on phase transition of $\alpha\text{-Al}_2\text{O}_3$ formation
J. LI, Y. WU, Y. PAN, W. LIU & J. GUO (China)
- 925 Dispersion of concentrated aqueous yttria-stabilized zirconia with ammonium polyacrylate
G. SUÁREZ, M.P. ALBANO, L.B. GARRIDO & E.F. AGLIETTI (Argentina)
- 931 Synthesis of tungsten oxide nanoparticles by acid precipitation method
S. SUPOTHINA, P. SEEHARAJ, S. YORIYA & M. SRIYUDTHSAK (Thailand)
- 937 Influence of milling time on mechanically assisted synthesis of $\text{Pb}_{0.91}\text{Ca}_{0.1}\text{TiO}_3$ powders
J.R.R. SIQUEIRA, A.Z. SIMÕES, B.D. STOJANOVIC, C.O. PAIVA-SANTOS, L.P.S. SANTOS, E. LONGO & J.A. VARELA (Brazil)
- 943 The effect of RO oxides on microstructure and chemical durability of borosilicate glasses opacified by P_2O_5
M. ARBAB, V.K. MARGHUSSIAN, H. SARPOOLAKY & M. KORD (Iran)
- 951 The effect of sintering temperature and time on microwave properties of $\text{Sm}(\text{Zn}_{1/2}\text{Ti}_{1/2})\text{O}_3$ ceramics for resonators
C.-H. HSU, H.-T. SOONG, C.-C. YU, C.-L. HUANG & M.-T. KU (Taiwan)
- 957 Dielectric properties and tunability of $\text{Ba}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ ceramics under high DC electric field
R.-H. LIANG, X.-L. DONG, Y. CHEN, F. CAO & Y.-L. WANG (PR China)
- 963 Reutilization and stabilization of wastes by the production of glass foams
E. BERNARDO, R. CEDRO, M. FLOREAN & S. HREGLICH (Italy)
- 969 Synthesis and characterization of nano MgAl_2O_4 spinel by the co-precipitated method
M.F. ZAWRAH, H. HAMAAD & S. MEKY (Egypt)
- 979 Properties of $\beta\text{-Ca}_3(\text{PO}_4)_2$ bioceramics prepared using nano-size powders
K. LIN, J. CHANG, J. LU, W. WU & Y. ZENG (P.R. China)
- 987 Reactions in hydroxylapatite–zirconia composites
Z. EVIS (Turkey)
- 993 Effect of borate addition on the sintered properties of pulverised fuel ash
E.A. UWE, A.R. BOCCACCINI, S.G. COOK & C.R. CHEESEMAN (UK)
- 1001 Influence of sintering on microstructure and electrical properties of ZnO-based multilayer varistor (MLV)
W.S. LEE, W.T. CHEN, Y.C. LEE, T. YANG, C.Y. SU & C.L. HU (Taiwan)
- 1007 Degradation mechanisms of magnesia-carbon refractories by high-alumina stainless steel slags under vacuum
M. GUO, S. PARADA, P.T. JONES, J. VAN DYCK, E. BOYDENS, D. DURINCK, B. BLANPAIN & P. WOLLANTS (Belgium)
- 1019 Effect of tungsten on the structure and piezoelectric properties of PZN–PZT ceramics
F. GAO, C.-J. WANG, X.-C. LIU & C.-S. TIAN (PR China)
- 1025 Dispersion and stability of 8 mol.% yttria stabilized zirconia suspensions for dip-coating filtration membranes
Y.H. WANG, X.Q. LIU & G.Y. MENG (PR China)
- 1033 Brazing of silicon nitride ceramic composite to steel using SiC-particle-reinforced active brazing alloy
G. BLUGAN, J. KUEBLER, V. BISSIG & J. JANCZAK-RUSCH (Switzerland)
- 1041 Dielectric and ferroelectric properties of $(1-x)\text{BaTiO}_3\text{-xBi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ ceramics
L. GAO, Y. HUANG, Y. HU & H. DU (People's Republic of China)
- 1047 Synthesis of nanosized Nd:YAG powders via gel combustion
J. LI, Y. PAN, F. QIU, Y. WU, W. LIU & J. GUO (PR China)
- 1053 Optical property and band structure of layered sulfide $\text{La}_{1-x}\text{Y}_x\text{CuS}_2$
L.B. WU & F.Q. HUANG (PR China)
- 1057 High temperature deformation of spinel–zirconia composites. Effect of zirconia content
A. ADDAD, F. BÉCLIN, J. CRAMPON & R. DUCLOS (France)
- 1065 A support layer for solid oxide fuel cells
K. AHN, S. JUNG, J.M. VOHS & R.J. GORTE (USA)
- 1071 Influence of organics on ZnO coatings prepared by chemical solution deposition
K.-S. HWANG, J.-H. JEONG, K.-O. JEON, Y.-S. JEON & B.-H. KIM (Republic of Korea)

- 1075 Heat treatment of nanostructured thermal barrier coating
N. WANG, C. ZHOU, S. GONG & H. XU (China)
- 1083 Processing and dielectric properties of (Pb,Bi)(Mg,Nb,Ti)O₃ ceramics
Y.-S. KIM, N.-K. KIM & J. KO (Republic of Korea)
- 1087 Effect of IrO₂ loading on RuO₂–IrO₂–TiO₂ anodes: A study of microstructure and working life for the chlorine evolution reaction
Z. YI, C. KANGNING, W. WEI, J. WANG (China) & S. LEE (Korea)
- 1093 The characteristics of Li(Ni_{1/3}Co_{1/3}Mn_{1/3})O₂ particles prepared from precursor particles with spherical shape obtained by spray pyrolysis
S.H. JU, D.Y. KIM & Y.C. KANG (Republic of Korea)
- 1099 Tape casting of Y-TZP with low binder content
J. GURAUSKIS, C. BAUDÍN & A.J. SÁNCHEZ-HERENCIA (Spain)
- 1105 Synthesis and characterization of Ba_{1-x}Sr_xTiO₃ nanopowders by citric acid gel method
Z. WANG, S. JIANG, G. LI, M. XI & T. LI (China)
- 1111 Phase changes of ceramic whiteware slip-casting bodies studied by XRD and FTIR
A.E. LAVAT, M.C. GRASSELLI & J.E. TASCA (Argentina)
- 1119 The O₂-dependent growth of ZnO nanowires and their photoluminescence properties
H. FU, H. LI, W. JIE & C. ZHANG (PR China)

Short communications

- 1125 Low-temperature synthesis of CdWO₄ nanorods via a hydrothermal method
Y. WANG, J. MA, J. TAO, X. ZHU, J. ZHOU, Z. ZHAO, L. XIE & H. TIAN (PR China)
- 1129 Synthesis of La_{0.7}Sr_{0.3}MnO₃ at 800 °C using citrate gel method
V. RAVI, S.D. KULKARNI, V. SAMUEL, S.N. KALE, J. MONA, R. RAJGOPAL, A. DAUNDKAR, P.S. LAHOTI & R.S. JOSHEE (India)
- 1133 Nitrate–citrate combustion synthesis of Ce_{1-x}Gd_xO_{2-x/2} powder and its characterization
C. PENG & Z. ZHANG (PR China)
- 1137 Degradation of SrTiO₃-based ceramic varistors induced by water and ac voltages
J.Q. SUN, W.P. CHEN, W. XIANG, W.C. YOU, Y. ZHUANG & H.L.W. CHAN (China)
- 1141 Synthesis of lutetium aluminum garnet powders by nitrate–citrate sol–gel combustion process
H. LI, X. LIU & L. HUANG (People's Republic of China)
- 1145 Low firing and microwave dielectric properties of BaTi₄O₉ with B₂O₃–ZnO–La₂O₃ glass addition
E. GUAN, W. CHEN & L. LUO (PR China)
- I Keywords for *Ceramics International*

Number 7

- 1149 Addition of Al–Ti–C master alloys and diopside to improve the performance of alumina matrix ceramic materials
C. LIU, J. ZHANG, J. SUN, X. ZHANG & Y. HU (PR China)
- 1155 Electron emission from lead lanthanum zirconate titanate ferroelectric cathodes
S.-T. CHEN, X.-L. DONG, S.-X. ZHENG, Z.-Q. ZHU & C.-X. TANG (China)
- 1161 Doped Ge–Sb–Te phase-change materials for reversible phase-change optical recording
S.-S. LIN (Taiwan)
- 1165 Porosity of freeze-dried γ -Al₂O₃ powders
C. TALLÓN, M. YATES, R. MORENO & M.I. NIETO (Spain)
- 1171 Properties of hydroxyapatite produced by annealing of bovine bone
C.Y. OOI, M. HAMDI & S. RAMESH (Malaysia)
- 1179 Activation of alumina foams for fabricating MMCs by pressureless infiltration
K. LEMSTER, M. DELPORTE, T. GRAULE & J. KUEBLER (Switzerland)
- 1187 Evolution of CaCu₃Ti₄O₁₂ varistor properties during heat treatment in vacuum
V.P.B. MARQUES, A. RIES, A.Z. SIMÕES, M.A. RAMÍREZ, J.A. VARELA & E. LONGO (Brazil)

- 1191 Rare earth oxides effects on both the threshold voltage and energy absorption capability of ZnO varistors
M. HOUABES & R. METZ (France)
- 1199 Development of a porous layer catalytically activated for improving gas sensors performances
J.M. TULLIANI & P. MOGGI (Italy)
- 1205 Wet-chemical synthesis of magnesium niobate nanoparticles powders
L.P.S. SANTOS, E.R. CAMARGO, M.T. FABBRO, E. LONGO & E.R. LEITE (Brazil)
- 1211 Preparation and properties of $\text{Al}_2\text{O}_3/\text{Ni}$ composite from NiAl_2O_4 spinel by in situ reaction sintering method
T. ISOBE, K. DAIMON, K. ITO, T. MATSUBARA, Y. HIKICHI & T. OTA (Japan)
- 1217 Si/SiC ceramics from wood of Indian dicotyledonous mango tree
D. MALLICK, O.P. CHAKRABARTI, H.S. MAITI & R. MAJUMDAR (India)
- 1223 Microstructure and electrical properties of $\text{Si}_3\text{N}_4\text{--TiN}$ composites sintered by hot pressing and spark plasma sintering
Z. GUO, G. BLUGAN (Switzerland), R. KIRCHNER (Germany), M. REECE (UK), T. GRAULE & J. KUEBLER (Switzerland)
- 1231 Encapsulated gadolinium zirconate pyrochlore particles in soda borosilicate glass as novel radioactive waste form
A.R. BOCCACCINI, T. BERTHIER & S. SEGLEM (UK)
- 1237 Synthesis and electrical properties of $\text{Ln}_{0.6}\text{Ca}_{0.4}\text{FeO}_{3-\delta}$ ($\text{Ln}=\text{Pr, Nd, Sm}$) as cathode materials for IT-SOFC
Y.-H. CHEN, Y.-J. WEI, H.-H. ZHONG, J.-F. GAO, X.-Q. LIU & G.-Y. MENG (PR China)
- 1243 Nanosized alumina from boehmite additions in alumina porcelain. Part 2: Effect on material properties
F. BELNOU, D. GOEURIOT, P. GOEURIOT & F. VALDIVIESO (France)
- 1251 Photoluminescence of ZnS:Tb phosphors fritted with different fluxes
T.-P. TANG (Taiwan)
- 1255 Gradient structures in ceramic nozzles for improved erosion wear resistance
DENG JIANXIN, LIU LILI & DING MINGWEI (PR China)
- 1263 Phase transformation in cordierite gel synthesized by non-hydrolytic sol–gel route
I. JANKOVIĆ-ČASTVAN, S. LAZAREVIĆ, D. TANASKOVIĆ, A. ORLOVIĆ, R. PETROVIĆ & D. JANAČKOVIĆ (Serbia)
- 1269 Synthesis of zeolitic materials from waste porcelain at low temperature via a two-step alkali conversion
T. WAJIMA & Y. IKEGAMI (Japan)
- 1275 Synthesis and characterization of sol–gel derived ZrO_2 doped Al_2O_3 nanopowder
D. SARKAR, D. MOHAPATRA, S. RAY, S. BHATTACHARYYA, S. ADAK & N. MITRA (India)
- 1283 Effects of high energy ball-milling on the sintering behavior and piezoelectric properties of PZT-based ceramics
J.S. LEE, M.S. CHOI, N.V. HUNG, Y.S. KIM, I.W. KIM, E.C. PARK, S.J. JEONG & J.S. SONG (Republic of Korea)
- 1287 Thermomechanical analysis of quartz porcelain in temperature cycles
I. ŠTUBŇA, A. TRNÍK & L. VOZÁR (Slovakia)
- 1293 Electromagnetic interference shielding effectiveness of multiwalled carbon nanotube reinforced fused silica composites
C. XIANG, Y. PAN & J. GUO (People's Republic of China)
- 1299 Characteristics of $\text{Ba}_{0.8}\text{Sr}_{0.2}\text{TiO}_3$ ferroelectric thin films by RF magnetron sputtering
W. HU, C. YANG, W. ZHANG & G. LIU (China)
- 1305 Synthesis of highly textured $\text{Ca}_3\text{Co}_4\text{O}_9$ ceramics by spark plasma sintering
Y. ZHANG, J. ZHANG & Q. LU (China)
- 1309 Microstructure and mechanical properties of sintered enamel hydroxyapatite
F.N. OKTAR (Turkey)
- 1315 Microstructure and mechanical properties of reaction hot pressed $\text{Al}_x\text{Co}_y/\text{Al}_2\text{O}_3$ composites
SHI XIAOMEI, XIANG CHANGSHU, PAN YUBAI & GUO JINGKUN (PR China)

- 1319 Addition of Al–Ti–B master alloys to improve the performances of alumina matrix ceramic materials
C. LIU, J. ZHANG, J. SUN & X. ZHANG (PR China)
- 1325 Sintering behaviour of steatite materials with barium carbonate flux
E. VELA, M. PEITEADO, F. GARCÍA, A.C. CABALLERO & J.F. FERNÁNDEZ (Spain)
- 1331 Oxidation modelling of a Si_3N_4 –TiN ceramic: Microstructure and kinetic laws
F. DESCHAUX-BEAUME, N. FRÉTY, T. CUTARD & C. COLIN (France)
- 1341 Structure and crystallization kinetics of PbO – B_2O_3 glasses
Y. CHENG, H. XIAO, W. GUO & W. GUO (China)
- 1349 Microstructure and kinetics of formation of $\text{Si}_2\text{N}_2\text{O}$ and Si_3N_4 into Si porous preforms by chemical vapor infiltration (CVI)
J.L. DE LA PEÑA & M.I. PECH-CANUL (Mexico)
- 1357 Effects of heat treatment and particle size on the tetragonality of nano-sized barium titanate powder
S.-W. KWON & D.-H. YOON (Republic of Korea)
- 1363 Rapid densification of nanocrystalline hydroxyapatite for biomedical applications
S. RAMESH, C.Y. TAN (Malaysia), S.B. BHADURI (USA) & W.D. TENG (Malaysia)
- 1369 The mechanical and electric properties of infiltrated PZT/polymer composites
H. CHEN, X. DONG, T. ZENG, Z. ZHOU & H. YANG (PR China)
- 1375 Nucleation of lithium aluminosilicate glass containing complex nucleation agent
X. GUO, H. YANG, C. HAN & F. SONG (China)

Short communications

- 1381 Characterization and growth mechanism of ZnSe microspheres prepared by hydrothermal synthesis
H. GONG, H. HUANG, M. WANG & K. LIU (China)
- 1385 Porous ceramics prepared using poppy seed as a pore-forming agent
E. GREGOROVÁ & W. PABST (Czech Republic)
- 1389 Microstructures and microwave dielectric properties of Li_2O – Nb_2O_5 – ZrO_2 ceramics
C.-A. LU, P. LIN & S.-F. WANG (Taiwan)
- 1395 Unidirectional carbon fiber and SiC particulate Co-reinforced fused silica composite
G.H. ZHOU, S.W. WANG, X.X. HUANG & J.K. GUO (PR China)
- 1399 Fabrication of high-purity ternary carbide Ti_3AlC_2 by spark plasma sintering (SPS) technique
W. ZHOU, B. MEI & J. ZHU (PR China)

I Keywords for *Ceramics International*

Number 8

- 1403 La-, K- and Nb-doped $0.90(\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3)$ – 0.10PbTiO_3
S. KUCHARUANGRONG (Thailand)
- 1409 Kinetics of TSCD zinc oxide nano-layer growth by modified diffuse-interface model
S.K. SADRNEZHAAD & M.R. VAEZI (Iran)
- 1419 Synthesis and characterization of calcium aluminate nanoceramics for new applications
M.F. ZAWRAH & N.M. KHALIL (Egypt)
- 1427 Synthesis and study of a new class of red pigments based on perovskite YAlO_3 structure
M. SHIRPOUR, M.A.F. SANI & A. MIRHABIBI (Iran)
- 1435 Elaboration and characterization of a refractory based on Algerian kaolin
M. KOLLI, M. HAMIDOUCHE (Algeria), G. FANTOZZI & J. CHEVALIER (France)
- 1445 Synthesis and properties of $\text{Bi}_{0.5}(\text{Na}_{1-x-y}\text{K}_x\text{Ag}_y)_{0.5}\text{TiO}_3$ lead-free piezoelectric ceramics
Y. LIAO, D. XIAO, D. LIN, J. ZHU, P. YU, L. WU & X. WANG (PR China)

- 1449 Preparation of LiNiVO_4 nano-powder using tartaric acid as a complexing agent
T. THONGTEM, S. KAOWPHONG & S. THONGTEM (Thailand)
- 1455 The effect of crystallographic orientation and solution aging on the electrical properties of sol–gel derived $\text{Pb}(\text{Zr}_{0.45}\text{Ti}_{0.55})\text{O}_3$ thin films
E.M. ALKOY, S. ALKOY (Japan, Turkey) & T. SHIOSAKI (Japan)
- 1463 Effect of citric acid on the synthesis of nano-crystalline yttria stabilized zirconia powders by nitrate–citrate process
K.A. SINGH, L.C. PATHAK & S.K. ROY (India)
- 1469 Effect of dopants on the properties of metal-doped zirconia prepared by the glycothermal method
J. WIWATTANAPONGPAN, O. MEKASUWANDUMRONG, C. CHAISUK & P. PRASERTHDAM (Thailand)
- 1475 In situ growth of TiC whiskers in Al_2O_3 matrix for ceramic machine tools
B. LIU, C. HUANG, X. LU, M. GU & H. LIU (PR China)
- 1481 Synthesis and characterization of MgSiO_3 -containing glass-ceramics
A. GOEL (Portugal), D.U. TULYAGANOV (Uzbekistan), S. AGATHOPOULOS (Greece), M.J. RIBEIRO & J.M.F. FERREIRA (Portugal)
- 1489 Synthesis and thermal stability of potassium substituted hydroxyapatites and hydroxyapatite/ β -tricalciumphosphate mixtures
S. KANNAN, J.M.G. VENTURA & J.M.F. FERREIRA (Portugal)
- 1495 Properties of BST ceramics prepared by high temperature hydrothermal process
K.A. RAZAK, A. ASADOV & W. GAO (New Zealand)
- 1503 Effect of temperature on the porosity, microstructure, and properties of porous $\text{La}_{0.8}\text{Sr}_{0.2}\text{MnO}_3$ cathode materials
G.-J. LI, Z.-R. SUN, H. ZHAO, C.-H. CHEN & R.-M. REN (PR China)
- 1509 Fabrication and magnetic properties of cobalt-dispersed-alumina composites
X. SHI, Y. PAN & J. GUO (PR China)
- 1515 Effects of the sintering atmosphere on Nb-based dielectrics
S. D'ASTORG & S. MARINEL (France)
- 1521 Microstructure and mechanical properties of gas pressure sintered $\text{Al}_2\text{O}_3/\text{TiCN}$ composite
H. YANG, F. SHANG & L. GAO (PR China)
- 1525 Microstructural study of titanium carbonitride produced by combustion synthesis
D. CAROLE, N. FRÉTY, S. PARIS, D. VREL, F. BERNARD & R.-M. MARIN-AYRAL (France)
- 1535 Electrical properties of lanthanum doped $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ thin films annealed in different atmospheres
A.Z. SIMÕES, A. RIES, B.D. STOJANOVIC, G. BIASOTTO, E. LONGO & J.A. VARELA (Brazil)
- 1543 Mössbauer spectroscopic studies of Fe^{3+} -substituted YIG
P.U. SHARMA, K.B. MODI, V.K. LAKHANI, K.B. ZANKAT & H.H. JOSHI (India)
- 1547 Nanosized $\gamma\text{-Al}_2\text{O}_3$ protective film for fluorescent lamps
Y. AO, Y. YANG, S. YUAN, H. HU, H. GU & G. CHEN (China)
- 1551 Synthesis of nanocrystalline 8 mol% yttria stabilized zirconia powder from sucrose derived organic precursors
K. PRABHAKARAN, A. MELKERI, N.M. GOKHALE & S.C. SHARMA (India)
- 1557 Sinterability, crystallization and properties of glass–ceramic tiles belonging to $\text{CaF}_2\text{--CaO--MgO--Al}_2\text{O}_3\text{--SiO}_2$ system
S. BANIJAMALI, H.R. REZAEI, B. EFTEKHARI YEKTA & V.K. MARGHUSSIAN (Iran)

- 1563 Sintering of MgO-based refractories with added WO_3
B. HAN, Y. LI, C. GUO, N. LI & F. CHEN (PR China)
- 1569 Internal friction behavior of an unidirectionally solidified $\text{Al}_2\text{O}_3/\text{YAG}$ eutectic at high temperature
S. TAKATA, S. UENO, Y. TANABE, T. AKATSU, E. YASUDA & Y. WAKU (Japan)
- 1573 Fabrication and characterization of amorphous SiBCN powders
Z.-H. YANG, D.-C. JIA, Y. ZHOU & C.-Q. YU (PR China)
- 1579 In situ synthesis and characterization of nano-size hydroxyapatite in poly(vinyl alcohol) matrix
S. MOLLAZADEH, J. JAVADPOUR & A. KHAVANDI (Iran)
- 1585 Oxidation protection of $\text{CaO-ZrO}_2\text{-C}$ refractories by addition of SiC
M. CHEN, N. WANG, J. YU (China) & A. YAMAGUCHI (Japan)
- 1591 Synthesis and characterization of Li ion conducting $\text{La}_{2/3-x}\text{Li}_{3x}\text{TiO}_3$ by a polymerizable complex method
J. LI, Z. WEN, X. XU & J. ZHANG (PR China)
- 1597 Technological properties of celsian reinforced glass matrix composites
V. CANNILLO, T. MANFREDINI, A. MOTORI, F. PATUELLI, A. SACCANI & A. SOLA (Italy)
- 1603 Densification and properties of zirconia prepared by three different sintering techniques
P. DAHL, I. KAUS (Norway), Z. ZHAO, M. JOHNSON, M. NYGREN (Sweden), K. WIJK, T. GRANDE & M.-A. EINARSRUD (Norway)
- 1611 Hydrothermal synthesis of potassium niobate powders
Y. WANG, Z. YI, Y. LI, Q. YANG & D. WANG (China)
- 1617 Formation of $\text{LiNi}_x\text{Co}_{1-x}\text{O}_2$ by decarbonization of organic gel precursors through treatment with nitric acid and hydrogen peroxide
A. DEPTUŁA, W. ŁADA, T. OLCZAK, D. WAWSZCZAK, B. SARTOWSKA (Poland) & K.C. GORETTA (USA)

Short communications

- 1623 Magnetic properties of nanosize NiFe_2O_4 particles synthesized by sol–gel auto combustion method
J. AZADMANJIRI, S.A. SEYYED EBRAHIMI & H.K. SALEHANI (Iran)
- 1627 Bi–Ge–Sb–Sn–Te films for reversible phase-change optical recording
S.-S. LIN (Taiwan)
- 1631 Extrusion of alumina fibers using zirconia sol as binder
J. CHANDRADASS & M. BALASUBRAMANIAN (India)
- 1635 Contents of Volume 33
- 1651 Keyword Index
- I Keywords for *Ceramics International*