

Keyword Index

A. Processing

- Calcination 305
Extrusion 107, 337, 491
Films 477, 631, 785, 1199
Firing 1357
Grain growth 221, 471
Hot pressing 811, 883, 1223, 1231, 1293, 1509
Joining 427, 1033
Milling 169, 201, 937, 993, 1283, 1547
Powders 511, 779, 1141, 1381
Powders: chemical preparation 285, 675, 1165, 1495
Powders: gas phase reactions 1093, 1349
Powders: solid-state reaction 95, 957, 1083, 1283, 1573
Precursors 827, 891, 901
Pressing 993
Processing 77
Shaping 327
Sintering 1, 27, 101, 169, 201, 263, 345, 355, 419, 471, 483, 573, 615, 687, 715, 767, 821, 963, 979, 987, 993, 1237, 1309, 1325, 1399, 1515, 1551, 1631
Slip casting 327, 925, 1385
Sol–gel processes 175, 333, 459, 625, 1141, 1263, 1293, 1455, 1623, 1631
Suspensions 327, 389, 1025, 1099
Tape casting 201, 477, 1099

B. Structure and Microstructure

- Composites 115, 213, 221, 355, 379, 715, 719, 811, 821, 887, 1057, 1149, 1223, 1293, 1315, 1319, 1395, 1569, 1597
Defect 589
Electron microscopy 1573, 175, 297, 569
Fibers 101, 389, 491
Grain size 255, 543, 697, 711, 1325, 1399, 1495, 1509, 1603
Interfaces 73, 427, 905
Microstructure 169, 221, 401, 497, 669, 863, 869, 1237, 1509, 1521, 1525, 1563
Microstructure-final 1, 9, 59, 355, 943, 1199, 1325, 1331, 1385, 1481
Microstructure-prefiring 59
Microstructures 821
Nanocomposites 255, 1211, 1547
Non-destructive evaluation 21
Porosity 1, 9, 77, 115, 279, 395, 483, 515, 543, 563, 1165, 1349, 1385, 1503
Spectroscopy 511, 785, 843
Surface 859
Whiskers 385, 1349
X-ray methods 35, 285, 289, 569, 663, 937, 987, 1083, 1269, 1357, 1495

C. Properties

- Chemical properties 943
Colour 521
Corrosion 175, 605, 859, 1007
Creep 655
Dielectric properties 41, 95, 197, 245, 269, 293, 333, 447, 663, 669, 815, 895, 957, 1041, 1083, 1155, 1293, 1403, 1445, 1515
Diffusion 1331
Electrical conductivity 13, 471, 543, 579, 1237, 1503, 1603
Electrical properties 107, 589, 883, 957, 1191, 1223, 1305, 1597
Ferroelectric properties 13, 497, 1041, 1155, 1455
Fracture 315
Friction 1569
Hardness 1603
Impedance 41
Magnetic properties 463, 1509, 1623
Mechanical properties 9, 21, 27, 83, 453, 543, 669, 715, 719, 751, 767, 821, 963, 979, 1211, 1217, 1231, 1309, 1315, 1363, 1369, 1395, 1399, 1521, 1597
Optical properties 511, 563, 785, 1053
Piezoelectric properties 35, 95, 263, 293, 395, 1019, 1283
Piezoelectric properties 447, 1445
Strength 379, 1033
Thermal conductivity 9, 543, 711
Thermal expansion 227, 333
Thermal properties 35, 1341, 1573
Thermal shock resistance 115, 255, 655
Wear resistance 213, 1007

D. Compositions

- Al_2O_3 59, 213, 305, 333, 385, 401, 751, 1165, 1179, 1211, 1315, 1385, 1521, 1547, 1569, 1631
 Alumina 77, 133, 327, 515, 811, 1149, 1319
 Apatite 337, 483, 715, 987
 BaTiO_3 and titanates 35, 957, 1357, 1495
 Borides 993
 CeO_2 201
 Carbon 887
 Clays 1269
 Cordierite 115, 1263
 Ferrites 463, 521
 Glass 227, 345, 543, 557, 563, 615, 943, 963, 1231, 1375, 1597
 Glass ceramics 27, 163, 345, 463, 573, 767, 773, 863, 1395, 1481, 1557
 MgO 821, 1007, 1563
 Mullite 59, 133, 327, 655, 663, 719, 851, 1243, 1435
 Niobates 1515
 Nitrides 147, 1331
 Oxide superconductors 21
 PLZT 1155, 13
 PZT 263, 293, 389, 395, 497, 1283, 1455
 Perovskites 883, 937, 1237, 1427, 1503
 Porcelain 1243, 1325
 SiC 115, 141, 197, 491, 527, 901, 1033, 1395
 Si_3N_4 221, 355, 379, 427, 675, 1033, 1223, 1349
 Silicates 573, 859
 Silicon nitride 891
 Spinels 175, 239, 821
 Spinel 969, 1057
 TiO_2 301, 355, 915
 Traditional ceramics 615, 843
 Y_2O_3 269, 373
 Zinc oxide 151, 1409
 Zinc pyrovanadate 285
 Zirconia 605, 1469
 ZnO 107, 289, 589, 785, 1001
 ZnSe 1381
 ZrO_2 147, 255, 269, 373, 631, 705, 987, 1025, 1057, 1631

E. Applications

- Batteries 1093
 Capacitors 1357
 Electrodes 625
 Fuel cells 631, 1503
 Functional applications 1481, 1547
 Hard magnets 463
 Insulators 963
 Membranes 337, 1025
 Nuclear applications 1155, 1231
 Refractories 175, 1007
 Sensors 1199
 Structural applications 27, 859, 1211, 1331, 1569
 Substrates 625
 Varistors 15, 187, 301, 1001, 1137, 1187, 1191
 Wear parts 1179

Miscellaneous

- $(1-x)(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3-x\text{BaTiO}_3$ 447
 $\alpha\text{-Al}_2\text{O}_3$ 919, 1475
 $\alpha\text{-}\beta$ Transformation of quartz 1287
 Acoustic emission 279
 Activation energy 309
 Additions 883
 Additives 779
 AE technique 879
 AFM 557
 Afterburning combustion 365
 AlN 269, 527
 $\text{Al}_2\text{O}_3/\text{SiC}$ 67
 Al_2O_3 coating 747
 $\text{Al}(\text{OH})_3$ 551
 Al_4SiC_4 453
 Al-Ti-B master alloys 1319
 Al-Ti-C master alloys 1149
 Alumina and boehmite 739
 Alumina gel 735
 Alumina precursor 361
 Alumina–zirconia 1275
 Aluminum–titanate–mullite system composite 879
 Amorphous phase 1435
 Annealing 1075, 1171
 Anode 1087
 Antioxidant 1585
 Applications 1419
 Auto combustion 1623
 Barium aluminates 531
 Barium tantalate 297
 Barium titanate 207
 BaTi_4O_9 1145
 $\text{Ba}_{1-x}\text{Sr}_x\text{TiO}_3$ 1105
 Bending strength 879
 Bentonite 405
 $\beta\text{-eucryptite}$ 123
 $\beta\text{-Eucryptite ss}$ 233
 $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ 1445
 $\text{Bi}_{0.5}(\text{Na}_{1-x-y}\text{K}_x\text{Ag}_y)_{0.5}\text{TiO}_3$ 1445
 Bi-Ge-Sb-Sn-Te film 1627
 Bi_2O_3 doping 471
 Bioceramics 1171, 1363
 Biocompatibility 83, 687
 Biomaterials 419
 Biphasic mixtures 1489
 Bismuth compounds 1535
 Bismuth sodium titanate 1403
 Bismuth titanate 601
 B_2O_3 773
 Boron oxide 911

- Bovine bone 1171
B₂O₃–ZnO–La₂O₃ glass 1145
Breakdown voltage 1001
β-Spodumene ss 233
BST thin films 1299
β-TCP 1489, 637
β-Tricalcium phosphate 979
Building materials 573
Bulk modulus 705
Ca₃Co₄O₉ ceramics 1305
Calcination routes 531
Calcium aluminum silicate glasses 1557
Calcium copper titanate 1187
Calcium fluoride 1557
Calcium nitrate 119
Calcium-deficient apatite 1489
Cameroon 851
CaMoO₄ nanoparticles 693
CaO–ZrO₂–C refractories 1585
Carbon content 365
Carbon monoxide 1199
Carbon/silicon carbide composites 439
Carbonated hydroxyapatite 193
Carbothermal 67
Carbothermal reduction 1475
CaSiO₃ powders 687
Castables 239, 751
Catalyst 675
Cathode material 837
CdWO₄ nanorods 1125
Cellular materials 543
Cellular morphology 1217
Celsian reinforcement 1597
CeO₂–Gd₂O₃ 471
Ceramic 779
Ceramic composites 279
Ceramic materials 1255
Ceramic matrix composites 891
Ceramics 155, 297, 301, 569, 579, 895, 1041, 1083, 1129
Cerium oxide 1133
C_f/SiC 101
C_f/SiC composites 905
Characterisation 851
Characterization 795
Chelation 643
Chemical environment 735
Chemical precipitation 687
Chemical preparations 1381
Chemical preparing 305
Chemical solution deposition 1071
Chemical synthesis 289, 569
Chemical vapor deposition 1119
Chemical vapor infiltration 141, 439
China clay 851
Chromium(III) oxide 1427
Citrate gel method 1129
Citrate-to-nitrate ratio 735
CMR 1129
Coatings 887
Coercitivity 163
Columbite 1205
Combinatorial synthesis 779
Combustion 1525
Combustion synthesis 379, 1133, 1463
Complex nucleation agent 1375
Composition 1419
Consolidation 401
Conventional ceramics 315
Co-precipitation 969
Corundum-mullite 551
Crack-growth-resistance 811
Crystal growth 1611
Crystal structure 601, 1535
Crystallization 227, 233, 345, 767, 773, 1275
Crystallization kinetics 1341
Cu–Pd–Ti filler alloy 427
Curing temperature 803
2D-C_f/SiC composites 73
De-airing 133
Def-apatite 637
Degradability 979
Degradation 151, 1137
Densification 239, 911, 1389, 1603
Density 905
Dicotyledonous mango wood 1217
Dielectric constant 249, 1299
Dielectric hysteresis 815
Diffuse-interface 1409
Dilution 365
Direct nitridation 675
Dispersant 207
Dispersion properties 925
Dissipation factor 1299
Dissolution behavior 557
Dopants 1469
Doped Ge–Sb–Te film 1161
DTA 227
Edge fracture 315
Elastic modulus 711
Electrical insulating properties 747
Electrochemical properties 837, 1617
Electrode support 1065
Electrolysis of water 1137
Electron beam evaporation 747
Electrostatic spray deposition 119, 505
Emulsion method 447, 837
Enamel 1309
Environment 761
Erosion wear 1255
ESD 1001
Evaporating sulphur 321
Extinction coefficient 723
Fe₂O₃ 697
Ferroelectric 1299
Ferroelectric ceramics: solid state reaction 41
Ferroelectric materials 1535
Flaking toughness 315
Flash method 49
Flexural strength 141
Fluorescence spectra 723
Fluoride 919
Fluoride release 557

- Fluorine 1309
Fluorophlogopite 773
Flux 1251
Forsterite 83
Fracture toughness 1603
Friction behavior 439
FTIR 557, 1275
FT-Raman 1205
Fused silica 1395
Gadolinium oxide 1133
Garnet 1543
Gas pressure sintering 1521
Gel combustion 361
Gel combustion synthesis 1047
Gelatin 193
Gelation 77, 389
Gelcasting 515
Glass ionomer 557
Glass powder 761
Glass structure 1341
Glass–ceramics-to-metal seal 863
Glassy phase composition 727
Glycothermal 1469
Gradient materials 1255
Gravity-electrophoretic deposition (GD-EPD) 631
Growth mechanism 901
HAP 1489
Heat transfer 1409
Heat treatment 141, 795
Heterogeneous precipitation 875
Heterogenous precipitation method 497
Hexacelsian 233
High temperature mechanical properties 453
High-temperature creep 869
Hip-joint material 419
Homogeneous precipitation 537
Humidity 151
Hybrid colloid 643
Hydrogel 1275
Hydrostatic figure of merit 395, 1369
Hydrothermal 531
Hydrothermal method 1125
Hydrothermal synthesis 1611
Hydrothermal treatment 701
Hydroxyapatite 419, 605, 687, 1171, 1309, 1363, 1579
Hydroxyapatite coating 701
Hydroxyapatite thin film 119
Hydroxyhydrogel 123
Hyperfine interactions 1543
Hysteresis 163
Hysteresis loop 1019
Impedance spectroscopy 13, 187, 579
Imprint effect 815
In situ decomposition 551
In situ growth 1475
In situ sol–gel reaction 643
In situ synthesis 1315, 1579
Indentation 315
Indium-doped tin oxide 273
Infiltration 1369
Infiltration processes 905
Intercalation 681
Inverse spinel oxide 1449
IR spectra 1111
IrO₂ content 1087
Iron aluminide intermetallic 811
Isothermal and cycle ageing 373
Kaolin 1435
Kaolinite 663
Kaolinite gangue 551
Kinetics 1409
La- and Pr-doped PZT 595
La_{2/3-x}Li_{3x}TiO₃ 1591
Laser irradiation 433
Lattice constant 249
Lattice structure 1019
Lead borate glasses 1341
Lead zirconate titanate (PZT) 595
LiNiO₂ 837
LiNiVO₄ nano-powder 1449
Li₂O–Al₂O₃–SiO₂ 123, 1375
Li₂O–Nb₂O₃–ZrO₂ system 1389
Liquid phase sintering 761
Liquid sintering 1563
Lithium ion conductor 1591
Lithium ion secondary battery 837
Lithium zinc silicate 863
Low cement 239
Low expansion ceramics 123
Low temperature 693, 1125
Low temperature synthesis 1205
Low-temperature sintering 245
LST (La-doped SrTiO₃) 1065
LTCCs 1145
Lu₃Al₅O₁₂ 1141
Luminescence properties 1251
Magadite 681
Magensium 637
Magnesia hydration 803
Magnesium niobate 1205
Magnetic susceptibility 413
Mechanical strength 1287
Membrane substrate 515
Method Pechini 521
Mg-metasilicate 1481
MgNb₂O₆ 1205
MGNP-modified glycine nitrate procedure 89
Mg–Ti ferrite-doped rare-earth dielectric 413
Micro-size 979
Microstructural evolution 1389
Microwave 67
Microwave dielectric properties 951
Microwave properties 1389
Microwave sintering 1363
Mixing procedure 1475
MMC pressureless infiltration 1179
Molecular dynamics 705
Molten salt method 693, 915
Monitoring 405
Monoclinic celsian 233
Morphology 1611, 779, 919
Morphotropic phase boundary 293

- Mortar 1
- Mossbauer spectroscopy 1543
- Multilayer ceramics 385
- MWNTs 719
- $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ 95
- NaF 663
- Nano-ceramics 1419
- Nanocoatings 875
- Nanocomposition 459
- Nanocrystalline 193
- Nanocrystalline powder 1551
- Nanocrystals 1469
- Nano-film 1409
- Nanomaterial 155
- Nano-particle 969
- Nanoplate 931
- Nanopowders 1105
- Nano-size 1579, 979
- Nanosized ceramic particles 537
- Nano-sized photocatalyst 915
- Nanosized powders 89
- Nanostructure 1075
- Nanostructured Nd:YAG 1047
- Nano-TiO₂ 477
- Nanowires 1119, 901
- NaOH 405
- Neutron diffraction 601
- Nickel ferrite 1623
- Nitrate–citrate 1463
- Nozzles 1255
- NTC thermistors 459
- Nucleation 1375
- Opal glass 943
- Optical disk 1161, 1627
- Organic modification 681
- Organic precursors 1551
- Orthogonal experiment 207
- Oxidation 433, 887, 1551, 1585
- Oxidation kinetics 309
- Oxidation resistance 1585
- Oxides 297, 301, 569, 1129, 1617
- Oxynitrides 147
- Particle size 309
- Paste characteristic 337
- Perovskite oxides 1083
- Phase transformation 373, 919, 1263
- Phonon 711
- Phosphors 1251
- Physical properties of Mn–Zn ferrites 49
- Pigments 521
- Plasma spraying 1075
- Plasticity 1057
- PMN-PT 815
- Poly(acrylic acid)–titania 643
- Polymerizable complex method 1591
- Poly(vinyl alcohol) 1579
- Poppy seed 1385
- Porcelain stoneware 727, 761
- Pore-forming 551
- Porous 551
- Porous supports 337
- Potassium 1489
- Potassium niobate 1611
- Powder precursor 123
- Precipitation 931
- Precursor infiltration pyrolysis 73
- Properties 827, 969, 1047, 1419
- Protective film 1547
- Pulverised fuel ash 993
- Pyrolysis temperatures 73
- Pyroplastic deformation 727
- PZT/polymer composite 1369
- Quartz porcelain 1287
- Quaternary ammonium salt 405
- Raman spectroscopy 595
- Rare-earth oxides 527
- Rare-earths substitutions 49
- R-curve 789
- Reaction medium 697
- Reaction-sintering 1243
- Reactive flame spray 827
- Recycling 615
- Red pigment 1427
- Redox-assisted VLS mechanism 1119
- Refining performances 1319
- Reflectivity 197, 1161, 1627
- Refractive index 723
- Refractory castables 803
- Refractory materials 1435
- Refractory properties 751
- Reinforcement 605
- Relaxor 1403
- Residual organics 1071
- Residual stress 373
- Resonant method 1287
- Reversible recording 1161, 1627
- Rheological behavior 207
- Rheology 739, 1025, 1099
- S.H.S. 1525
- Sacrificial Mg anode 701
- Saturation 405
- Saturation magnetization 163
- Sb-doped tin oxide 625
- Scanning electron microscopy 419
- Schottky barrier 301
- Seebeck coefficient 413
- Self-glazing 851
- Self-healing properties 453
- Self-lubrication 213
- SEM 795
- Semiconductors 289, 1119
- Semi-empirical methods 705
- SEPB 789
- Short 101
- SHS 365
- Si/SiC ceramics 1217
- Si–B–C–N ceramics 1573
- SiC ceramics 433
- SiC powders 309
- SiC/SiC composite 141
- Silica 327
- Silica fiber 891

- Silylation 681
Simulated body fluid (SBF) 687
Sinterability 1557, 969
Sintering behavior 925
 SiO_2 – B_2O_3 – Fe_2O_3 – ZrO_2 463
 $\text{SiO}_{2f}/\text{SiO}_2$ composites 669
 $\text{Sm}(\text{Zn}_{1/2}\text{Ti}_{1/2})\text{O}_3$ ceramic 951
Sn 915
Soda–lime–silica glass 727
SOFC 89
Soft–hard porcelain 851
Sol gel 605
Sol–gel chemistry 1617
Sol–gel synthesis 1105
Solid electrolyte 1133
Solid oxide fuel cells 1065
Solid state reaction 1053
Sound velocity 1287
Spark plasma 101
Spark plasma sintering 1305
Spray pyrolysis 273
Steatite 911
Strain and rupture 655
Strontium titanate 1137
Sucrose 1551
Sulfide 1053
Sulphide 321
Surface morphology 505
Surface roughness 1161, 1627
Synthesis 67, 1419
Talc 911
TAMZ Ti alloy 701
Tangent loss 249
Tartaric acid 1449
Tb 1251
TEM 1275
TEM study 1463
Temperature gradient method 321
Tensile test 279
Tension and compression tests 869
Texture 107
TG/DTA 1463
Thermal barrier coating 1075
Thermal behavior 735
Thermal expansion coefficient 863
Thermal residual stress 101
Thermal stability 705
Thermodynamic calculation 361
Thermogravimetric analysis 1617
Thin films 273, 723, 1455
Thin layer 1409
Thixotropic 739
 Ti_3AlC_2 169, 1399
TiC whisker 1475
TiC–Fe cermet coating 827
Time-resolved X-ray diffraction 1525
Tin dioxide 187, 537
 TiO_2 dopant 869
 Ti_3SiC_2 385, 789
Titania 239
Titanium carbonitride 1525
Toughening 811, 1149
Toughening mechanism 385
Toughness 401
Transmittance 505
Transparent ceramics 711
TSCD 1409
Tungsten bronze-type structure 249
Tungsten doping 1019
Tungsten oxide 931
Tyranno-SA fiber 141
Urea 531
Vanadium carbonitride 365
Viscosity 905
Waste recycling 573
Wastes 163
WC–Co 155
Wettability 527
White ceramics 1111
Working life 1087
X-Ray 795
X-ray diffraction 41, 297, 579, 895, 1617
XRD 227, 531, 637
XRD phase development 1111
YAG ceramics 711
8Y-CSZ 869
Young's modulus 1287
YSZ 1603
YSZ and nano-crystalline ceramics 1463
Yttria stabilized zirconia 925, 1551
Yttrium aluminate 1427
Zeolites 1269
Zeolitic tuff 795
Zinc pyrovanadate 285
Zircon 655
ZnO thin film 505, 1071
ZnO-based ceramics 1191
ZnS 1251
ZnSe 1381
 ZnTiO_3 ceramics 245