

Erratum

Erratum to ‘Fabrication of carbon fiber reinforced ceramic matrix composites with improved oxidation resistance using boron as active filler’ [J. Eur. Ceram. Soc. 30 (2009) 787–792]

Zhen Wang^a, Shaoming Dong^{a,c,*}, Ping He^a, Le Gao^a, Haijun Zhou^{a,b},
Jinshan Yang^{a,b}, Dongliang Jiang^a

^a Structural Ceramics and Composites Engineering Research Center, Shanghai Institute of Ceramics, Chinese Academy of Sciences,
1295 Dingxi Rd, Shanghai 200050, PR China

^b Graduate University of Chinese Academy of Sciences, Beijing 100049, PR China

^c State Key Laboratory of High Performance Ceramics and Superfine Microstructure, Shanghai Institute of Ceramics, Chinese Academy of Sciences,
1295 Dingxi Rd, Shanghai 200050, PR China

Received 14 May 2009; received in revised form 8 September 2009; accepted 10 September 2009

Available online 26 March 2010

The publisher regrets that in the above mentioned article Fig. 4 was omitted from the article and Fig. 6 contained an error. Figs. 4 and 6 are now reproduced correctly below.

The publisher would like to apologise for any inconvenience this may have caused to the authors of this article.




Fig. 4. Bending stress–displacement curves for composites.

DOI of original article: [10.1016/j.jeurceramsoc.2009.09.015](https://doi.org/10.1016/j.jeurceramsoc.2009.09.015).

* Corresponding author at: Shanghai Institute of Ceramics, Chinese Academy of Sciences, 1295 Dingxi Rd, Shanghai 200050, PR China. Tel.: +86 21 5241 4324; fax: +86 21 52413903.

E-mail address: smdong@mail.sic.ac.cn (S. Dong).




Fig. 6. TG curves of 2D C_f/SiC(-BN) composites in air from room temperature to 1000 °C.